Volume 9

Number 11

November 2018



An International Journal

SCOPUS JPHRD CITATION SCORE

AND WEST THE WEST THE WEST THE STATE OF THE

Indian Journal of Public Health Research and Development Scopus coverage years: from 2010 to 2017 Publisher: R.K. Sharma, Institute of Medico-Legal Publications ISSN:0976-0245E-ISSN: 0976-5506 Subject area: Medicine: Public Health, Environmental and Occupational Health CiteScore 2015-0.02 SJR 2015-0.105 SNIP 2015-0.034



Website:

www.ijphrd.com

Indian Journal of Public Health Research & Development

EXECUTIVE EDITOR

Prof Vidya Surwade

Associate Professor, Dr Baba Saheb Ambedkar, Medical College & Hospital, Rohinee, Delhi

INTERNATIONAL EDITORIAL ADVISORY BOARD

- Dr. Abdul Rashid Khan B. Md Jagar Din, (Associate Professor)
 Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
- Dr. V Kumar (Consulting Physician)
 Mount View Hospital, Las Vegas, USA
- 3. Basheer A. Al-Sum,

Botany and Microbiology Deptt, College of Science, King Saud University, Riyadh, Saudi Arabia

- 4. Dr. Ch Vijay Kumar (Associate Professor)
 Public Health and Community Medicine, University of Buraimi, Oman
- Dr. VMC Ramaswamy (Senior Lecturer)
 Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
- Kartavya J. Vyas (Clinical Researcher)
 Department of Deployment Health Research,
 Naval Health Research Center, San Diego, CA (USA)
- Prof. PK Pokharel (Community Medicine)
 BP Koirala Institute of Health Sciences, Nepal

NATIONAL SCIENTIFIC COMMITTEE

- Dr. Anju Ade (Associate Professor)
 Navodaya Medical College, Raichur, Karnataka
- Dr. E. Venkata Rao (Associate Professor) Community Medicine, Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Orissa.
- Dr. Amit K. Singh (Associate Professor) Community Medicine, VCSG Govt. Medical College. Sringgar – Garhwal, Uttarakhand
- Dr. R G Viveki (Professor & Head) Community Medicine, Belgaum Institute of Medical Sciences, Belgaum, Karnataka
- Dr. Santosh Kumar Mulage (Assistant Professor)
 Anatomy, Raichur Institute of Medical Sciences Raichur(RIMS), Kamataka
- Dr. Gouri Ku. Padhy (Associate Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Dr. Ritu Goyal (Associate Professor)
 Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
- Dr. Anand Kalaskar (Associate Professor)
 Microbiology, Prathima Institute of Medical Sciences, AP
- Dr. Md. Amirul Hassan (Associate Professor)
 Community Medicine, Government Medical College, Ambedkar Nagar, UP
- 10. Dr. N. Girish (Associate Professor) Microbiology, VIMS&RC, Bangalore
- 11. Dr. BR Hungund (Associate Professor) Pathology, JNMC, Belgaum.
- Dr. Sartaj Ahmad (Assistant Professor), Medical Sociology, Department of Community Medicine, Swami Vivekananda Subharti University, Meerut, Uttar Pradesh, India
- Dr Sumeeta Soni (Associate Professor)
 Microbiology Department, B.J. Medical College, Ahmedabad, Gujarat, India

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Sushanta Kumar Mishra (Community Medicine) GSL Medical College – Rajahmundry, Karnataka
- Prof. D.K. Srivastava (Medical Biochemistry)
 Jamia Hamdard Medical College, New Delhi
- Prof. M Sriharibabu (General Medicine) GSL Medical College, Rajahmundry, Andhra Pradesh
- Prof. Pankaj Datta (Principal & Prosthodentist) Indraprastha Dental College, Ghaziabad

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Samarendra Mahapatro (Pediatrician)
 Hi-Tech Medical College, Bhubaneswar, Orissa
- Dr. Abhiruchi Galhotra (Additional Professor) Community and Family Medicine. All India Institute of Medical Sciences. Raipur
- Prof. Deepti Pruthvi (Pathologist) SS Institute of Medical Sciences & Research Center, Davangere, Karnataka
- 8. Prof. G S Meena (Director Professor)

 Maulana Azad Medical College, New Delhi
- 9. Prof. Pradeep Khanna (Community Medicine)
 Post Graduate Institute of Medical Sciences, Rohtak, Haryana
- 10. Dr. Sunil Mehra (Paediatrician & Executive Director)
 MAMTA Health Institute of Mother & Child, New Delhi
- Dr Shailendra Handu, Associate Professor, Phrma, DM (Pharma, PGI Chandigarh)
- Dr. A.C. Dhariwal: Directorate of National Vector Borne Disease Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of India, Delhi

Print-ISSN: 0976-0245-Electronic-ISSN: 0976-5506, Frequency: Quarterly (Four issues per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN) and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare & Scopus database. The journal is now part of DST, CSIR, and UGC consortia.

Website: www.ijphrd.com

©All right reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efcacy of any product or service featured in the advertisement in the journal, which are purely commercial.

Editor

Dr. R.K. Sharma

Institute of Medico-legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida - 201 301 (Uttar Pradesh)

Printed, published and owned by

Dr. R.K. Sharma

Institute of Medico-legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida - 201 301 (Uttar Pradesh)

Published at

Institute of Medico-legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida - 201 301 (Uttar Pradesh)



Indian Journal of Public Health Research & Development

____Contents

www.ijphrd.com

Volume	e 9, Number 11 November 201	8
1.	The Spread Area of Malaria Vector in Timor Island, East Nusa Tenggara Province	. 1
2.	Developing Community Resilience as a Supporting System in the Care of People with Mental Health Problems in Indonesia Retno Lestari, Ah Yusuf	. 6
3.	Effects of Knowledge of Vitamin D on Attitudes toward Sun Exposure among Middle-Aged and Elderly Indonesian Adults	11
4.	The Effects of Age And Body Mass Index on Blood Glucose, Blood Cholesterol, and Blood Pressure in Adult Women	16
5.	The Antioxidant Activity and Organoleptic Properties of Soursoup Leaf Tea (Annona Muricata L.) and Moringa Leaf (Moringa Oliefera L.) in Combination with Guava Leaf (Psidium Guajava)	22
6.	Parent Communication Regarding Sexual and Reproductive Health of Adolescent: A Qualitative Systematic Review	27
7.	Five Types of Personality and the Locus of Internal Control in relation to Preeclampsia Pregnancy Lusiana Meinawati, Kusnanto Kusnanto, Oedojo Soedirham	33
8.	The Effect of Diabetes Self-Management Education, Based on The Health Belief Model, on the Psychosocial Outcome of Type 2 Diabetic Patients in Indonesia	37
9.	How does the Dayak Ngaju Community Treat Malaria? A Qualitative Study on the Use of Traditional Medicine in Central Kalimantan Province, Indonesia	43
10.	The Effect of Young Coconut Water against Morning Sickness among Women in the First Trimester of Pregnancy Tri Ratna Ariestini, Whindu Purnomo	48
11.	Factors Affecting the Incidence of Chronic Energy Deficiency among Pregnant Women Attending the Pulubala Community Health Centre	53
12.	Implementation of Birth Preparedness and Complication Readiness (BPCR) in High Risk Pregnancies Ika Mardiyanti, Nursalam, Arief Wibowo	58

13.	Access to Healthcare Facilities in Poor and Underdeveloped Areas in Nusa Tenggara Timur Province Yendris Krisno Syamruth, H. Kuntoro	64
14.	The Effect of Doctor Proffesionality on the Quality of Medical Services at a First Level Health Facility Febri Endra B. S., Stefanus Supriyanto, Rubayat Indradi, Aditya Rizka R	70
15.	Self-Help Group Therapy: The Enhancement of Self-Care Ability and Quality of Life Among the Elderly in Bali, Indonesia	. 76
16.	Healthy Nurses for a Quality Health Care Service: A Literature Review	. 81
17.	The Support of the Family toward Children with Autism Spectrum Disorder	. 86
18.	Family Factors Associated with Quality of Life in Pulmonary Tuberculosis Patients in Surabaya, Indonesia Dhian Satya Rachmawati, Nursalam, Arief Wibowo, Astrida Budiarti, Riza Agustin	. 91
19.	Parenting Style Based on the Mother's Personal Mastery and the Mother-Child Attachment in Relation to Child Feeding Disoders: A Qualitative Study	. 96
20.	Factors Associated with Onset to Hospital Delay among Stroke Patients in the Emergency Department Abdulloh Machin, Muhammad Hamdan	101
21.	Analysis of The Influence of Hersey-Blanchard Leadership and Nurse Maturity on Caring Behaviour Performance Based on Patient Perception	106
22.	The Relationship of Socio-Economic and Genetic Factors with Toddler Stunting at Kenjeran Public Health Center Surabaya Dwi Ernawati, Puji Hastuti, Dhian Satya Rachmawati, Ari Susanti, Christina Yuliastuti, Merina Widyastuti, Mieke Izzatul Mahmudah	111
23.	Cultural Religiosity as the Determinant Factor of a Successful Healthy City in South Kalimantan, Indonesia Herawati, Shrimarti R. Devy	116
24.	The Relationship between Response Time and Patient Survival with Emergency Treatment by the Code Blue Team	122
25.	The influence of Nurse's Knowledge Level on Behaviour Changes, Attitude and 5 Moments of Hand Hygiene Compliance	127
26.	The Role of Posyandu Cadres in Improving the Growth and Development of Toddlers in RW VII Puskesmas Mojo, Surabaya	132

27.	Analysis of the Implementation of Pregnancy-related Health Care Services Through the Continuum of Care Approach in Puskesmas Bukittinggi City Evi Hasnita, Armita Sri Azhari	137
28.	Feeding Care Patterns of Mothers Working as Shellfish Peelers on Children's Nutritional Status at Integrated Health Posts in Coastal Areas	142
29.	The Relationship between Socioeconomic Status and Personality Type with Depression in Adolescents Oktavianis, Rahmi Sari Kasoema	147
30.	Consumption Patterns, Energy Adequacy, and The Nutritional Status of Softball Players	153
31.	Compliance with Smoke-Free Legislation and Associated Factors: A Serial Survey in Bali, Indonesia Ketut Suarjana, Artawan Eka Putra, Putu Ayu Swandewi Astuti, Ketut Hari Mulyawan, Djazuly Chalidyanto	
32.	The association of Pre-Pregnancy Body Mass Index (BMI) and Increased Maternal Weight in the Third Trimester of Pregnancy with Foetal Weight Estimation	165
33.	The Effectiveness of Bay Leaf Extract (Syzygium Polyanthum) in Inhibiting the Growth of Candida Albicans	70
34.	The Presenting Symptoms as a Predictor of the Hospital Arrival Time Intervals of Patients with Acute Coronary Syndrome	175
35.	Factors Influencing the Husband's Participation in Pregnancy Care in Surabaya City, Indonesia Nurul Fitriyah, Windhu Purnomo, Noviasari Reksohadi	180
36.	Exploration of the Daughters' Feelings Related to Accepting their Mother's Condition of Having Breast Cancer in East Java, Indonesia	185
37.	Mapping Customers: A Case Study of a University Hospital in Indonesia	190
38.	Structural Model of the Factors Related to the Family Resilience of Stroke Patients in Indonesia	194
39.	A Gender Analysis of Traditional Contraceptive Use in Sikka District, East Nusa Tenggara, Indonesia Rut Rosina Riwu, Sarci Magdalena Toy, Daniela L. A. Boeky, Conrad L. H. Folamauk	200
40.	The Relationship between Sexual Behavior and the Prevalence of HIV/AIDS among Homosexual Men in Bukittinggi City, Indonesia Nurhayati, Wahyu Salendri	206
41.	The Nutritional Status of Children Aged 1-3 Years Old Based on Food Processing Techniques in Surabaya Qori'ila Saidah, Yudi Handoko, Nur Chabibah, Sri Anik Rustini, Nuh Huda, Dwi Priyantini, Dini Mei Widayanti	
42.	Mammae Gland in Supporting the Lactation Process: A Review	215

The Nutritional Status of Children Aged 1-3 Years Old Based on Food Processing Techniques in Surabaya

Qori'ila Saidah¹, Yudi Handoko¹, Nur Chabibah¹, Sri Anik Rustini¹, Nuh Huda¹, Dwi Priyantini¹, Dini Mei Widayanti¹

¹College of Health Sciences (Sekolah Tinggi Ilmu Kesehatan) Hang Tuah, Surabaya

ABSTRACT

Food processing can affect the nutritional components within food. This contributes toward the status of nutrition. The objective of this research was to identify the nutritional status of children based on food processing technique. The research was carried out in Kenjeran Urban Village, Bulak Sub-District, Surabaya. The design of this research used a prospective cohort. The overall population amounted to 144 respondents using simple random sampling for the final amount of 105 respondents. The instrument of this research was a questionnaire and nutritional status measurement in accordance with the provision of Ministry of Health, of the Republic of Indonesia. The results of this research showed that there is a relationship between food processing technique and the nutritional status of children. The result of the Spearman Rho correlation analysis was that it obtained a value of r=0.001 (α <0.05). The value of the absolute coefficient correlation was 0.435 therefore the level of this relationship is an average level relationship. Those with a unfavourable daily food processing technique accounts for 18 individuals (17.1%) and a favourable technique accounts for 87 individuals (82.9%). Food processing can affect the nutritional status of children. However, nutritional status can be influenced by several other factors. The influential factors of nutritional status include the heredity factor and the passive measure of food supply.

Keywords: food processing technique, nutritional status

INTRODUCTION

Nutrition is an integral part of the growth and development of an individual. The substances within food have a strong relation with health and brain ingenuity. Once nutrition goes unfulfilled, it will weaken bodily health and ingenuity simultaneously, primarily when concerning the growth and development of children ¹. The nutritional necessities for children under five is relatively bigger than when compared to adults, because at this stage, there may soar rapidly. The rapid growth and development periods, such as the prenatal period or adolescence will require a larger amount of calories and protein².

Corresponding Author:

Qori'ila Saidah College of Health Sciences (Sekolah Tinggi Ilmu Kesehatan) Hang Tuah, Surabaya

Email: qorisaidah82@stikeshangtuah-sby.ac.id

According to the WHO, 42 million children under five suffer from obesity, 156 million children under five are short-bodied, and 50 million children suffer from malnutrition 3. The result of the PSG Index BB/U shows that those with favourable nutrition are 79.7%, deficient nutrition is 14.9, malnutrition is 3.8%, and excessive nutrition is 1.5%. The Index TB/U Normal shows that 71% are normal-bodied and those who are short-bodied makes up 29.9%. Using the Index BB/TB Normal index, 82.7% are thin 8.2% are fat and those who are extremely thin make up 3.7%⁴. According to Riskesdas, the nutritional status of children under five is deficient by 13.9%, while malnutrition is 5.7%, being short-bodied is 19.2%, extremely short-bodied is 18.0%, thin is 6.8%, extremely thin is 6.8% and fat is 11.9% 4. In East Java, the number of cases for malnutrition was 6,772 ⁵. Malnutrition for children under five in Surabaya 282 was male: 127, female: 155 6. From the research of Melati integrated public health centre (Posyandu) in Surabaya, the amount of children under five was 85; there were 2 children with deficient nutrition and two children with excessive nutrition.

To date, the most appropriate food processing method has not yet been determined. The issue of children's nutritional status may be triggered by the ignorance when it comes to comprehending the way to organise food processing, such as organising the menu, selecting the ingredients, maintaining the food and keeping the food in a safe condition. Keeping foods from previous days or boiling vegetables above the normal duration will automatically decrease the amount of nutritious substances within the food.

Carbohydrate consumption deficiency may affect the children's growth and incline them toward being thin-bodied (KEP). If in excess, the children will grow to be fat (obesity). The lack of protein may lead to an abnormal network of growth and development, obstructing physical and mental growth, and an excess of protein will lead to obesity. A lack of fat will lead to a thin body shape while an excess of fat will lead to a fat body shape (obesity)².

Regarding the problems related to food management techniques as above, this will correspond to the growth and development process of the child. These factors influence the nutritional status of children. In this particular problem, in order to maintain the nutritional status of their child, parents should be informed in order to understand the appropriate nutritional fulfilment for children under five for the sake of their individual growth and development. These particular food substances are an integral part of individual growth and development. Through this education, the nutritional status of children can be well-maintained. Through the distribution of health education, it is expected that parents will be able to maintain food properly in order to prevent the nutritional substances within the food being lessened.

METHOD

The type of this research was an observational analytical research through the prospective cohort approach. The data collection method was using simple random sampling and this research was commenced by informing both the personnel of the *Posyandu* (integrated public health post) and the respondents. The inclusion criteria were parents who manage to cook their own food and the children who consume the parent-made food.

This questionnaire was posed to obtain the measurement of nutritional status and body weight according to a body height and distribution questionnaire related to food processing technique.

OBJECTIVE

The general objective of this research was to identify the nutritional status of children aged between 1-3 years old based on the daily food processing technique.

RESULT

1. Univariate Analysis: The respondents obtained in Bulak Urban Village, Kenjeran Sub-District, Surabaya accounted for 105 respondents; 100% were willing to join the research. The results of the univariate analysis in this research were based on the age of the respondents, their last achieved education level, occupation, monthly income, and the gender of their child. Based on the results of this research, it is identified that respondents aged between 20-35 years old amounted to 89 respondents, which is larger than the amount for those aged >35 years old. The respondents from high school level amounted to 50 respondents, larger than those in middle school level. Those with a monthly income that ranged between IDR 1,500,000 - IDR 2,000,000 amounted to 66 respondents, which is higher than those with an income above IDR 2,000,000.

Table 1: Respondent's distribution based on age, education level, occupation and income

Variable	Frequency	(%)					
Age (years old)							
<20	1	1.0					
20-35	89	84.7					
>35	15	14.3					
Education							
Elementary	21	20.0					
Middle School	32	30.5					
High School	50	47.6					
Higher Education	2	1.9					
Occupation							
Private sector	23	21.9					
Entrepreneur	22	21.0					
Housewife	60	57.1					
Income rate							
500,000-1,000,000	7	6.7					
1,000,000- 1,500,000	11	10.5					
1,500,000-2,000,000	66	62.9					
>2,000,000	21	20.0					

2. Bivariate Analysis: This research used a Spearman Rho correlation test which aimed to identify the relationship between the dependent variable and the independent variable. The

identified variables were daily food processing technique and the nutritional status of body weight based on body height.

Table 2: The Relationship between daily food processing technique and the nutritional status of children aged 1-3 years old

D 11 E 1	Nutritional Status of Children BB/TB								Total	
Daily Food Processing Technique	Extremely Thin		Thin		Normal		Fat		- Total	
Frocessing recuinque	N	%	N	%	N	%	N	%	N	%
Poor	6	5.7	5	4.8	7	6.7	0	0	18	17.1
Good	3	2.9	9	8.6	68	64.8	7	6.7	87	82.9
Total	9	8.6	14	13.3	75	71.4	7	6.7	105	100
The value of statistic <i>Spearman Rho</i> Correlation test (<i>r</i> =0.001)										

DISCUSSION

Based on Table 2, it can be identified that the respondents with a favourable food processing technique had a nutritional status that was normal, which amounted to 64.8 %. Meanwhile, those who use a poor food processing technique combined with the nutritional status of their child being extremely thin amounted to 5.7%.

The attitude of health is someone's response toward a stimulus or object linked to illness and disease, the health service system, food, beverage and the environment ⁷. The attitude toward the false food processing techniques will influence the substances within daily food ⁸. If the attitude toward the false food processing technique is being maintained continually, then the nutritious substances within the food will be diminished or even dissolved. This factor will affect the health of the person committed to this technique.

The results of the test using the Spearman Rho correlation showed that there is a relationship between daily food processing technique and the nutritional status of children aged 1-3 years old with a Rho valuation of 0.001 which means that the value of α <0.05. This means that food processing technique will influence the nutritional status of children under five. Therefore if a false food processing technique is performed, then it will affect the containment of nutrition within the particular food 9 .

Based on the results of Table 2 above, it obtained that 3 out of 9 respondents were equipped with knowledge of favourable food processing techniques, but their children's nutrition and body weight decreased, as shown by an extremely thin body shape. This particular issue may be driven by several factors, including the food

supply factor. If the mother is not supplied properly with food, therefore the foods consumed by those particular children will be decreased. This matter is supported by the research which mentioned that parental food supply will affect the nutritional status of children under five.

CONCLUSION

For the daily food processing technique in Bulak Urban Village, Kenjeran Sub-District, Surabaya, the majority of parents frequently use a favourable food processing technique and only a minority one use a poor daily food processing technique. The nutritional status of children aged between 1–3 in Bulak Urban Village, Kenjeran Sub-District, Surabaya was that the majority of the children have a favourable nutritional status, and that there is a lesser group of children who have a deficient nutritional status. There is a relationship between the daily food processing technique and the nutritional status of children aged between 1 -3 years old in Bulak Urban Village, Kenjeran Sub-District, Surabaya.

It is expected that future research should touch upon the topic of nutritional status, focusing on the relationship between active food supply and the nutritional status of children under five, aged between 1 – 3 years old in Bulak Urban Village, Kenjeran Sub-District, Surabaya.

Conflict of Interest: None.

Ethical Clearance: The study passed ethical clearance from Ethical Committee of Sekolah Tinggi Ilmu Kesehatan Hang Tuah, Surabaya, Indonesia.

Source of Funding: Self-funded.

REFERENCES

- Ohlhorst SD, Russell R, Bier D, Klurfeld DM, Li Z, Mein JR, et al. Nutrition research to affect food and a healthy lifespan. Adv Nutr [Internet].
 Sep 1 [cited 2018 Oct 17];4(5):579–84.
 Available from: http://www.ncbi.nlm.nih.gov/ pubmed/24038264
- Kearney J. Food consumption trends and drivers. Philos Trans R Soc Lond B Biol Sci [Internet].
 2010 Sep 27 [cited 2018 Oct 17];365(1554):2793–807. Available from: http://www.ncbi.nlm.nih.gov/pubmed/20713385
- 3. World Health Organization. The double burden of malnutrition: policy brief [Internet]. Geneva; 2017 [cited 2018 Oct 17]. Available from: http://apps. who.int/iris/bitstream/handle/ 10665/255413/ WHO- NMH- NHD-17.3- eng. pdf; jsessionid = AD2C2A6 B0BC8855 A7166C77B51E44F4A ?sequence = 1
- 4. Board of Health Research and Development. Basic Health Research 2013. Lap Nas 2013. 2013;1–384.
- 5. Ministry of Health Republic of Indonesia. Indonesian Health Profile 2016 [Internet]. Jakarta,

- Indonesia; 2017 [cited 2018 Aug 2]. Available from: http://www.kemkes.go.id
- Public Health Office of Surabaya. Health Profile 2015 [Internet]. Surabaya; 2015 [cited 2018 Oct 17]. Available from: http://www.depkes.go.id/ resources/download/profil/PROFIL_KAB_ KOTA 2015/3578 Jatim Kota Surabaya 2015.pdf
- 7. Kelly MP, Barker M. Why is changing health-related behaviour so difficult? Public Health [Internet]. 2016 Jul [cited 2018 Oct 17];136:109–16. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27184821
- 8. Story M, French S. Food Advertising and Marketing Directed at Children and Adolescents in the US. Int J Behav Nutr Phys Act [Internet]. 2004 Feb 10 [cited 2018 Oct 17];1(1):3. Available from: http://www.ncbi.nlm.nih.gov/pubmed/15171786
- Hammond RA, Dubé L. A systems science perspective and transdisciplinary models for food and nutrition security. Proc Natl Acad Sci U S A [Internet]. 2012 Jul 31 [cited 2018 Oct 17];109(31):12356-63. Available from: http://www.ncbi.nlm.nih.gov/pubmed/22826247